

Creating a garden lifestyle...

## 70mm Winchester Log Cabin Range<sup>®</sup> Technical Details

#### **Contact us on: Sales:** 0800 169 6016

#### Product Support: 01636 822 883

BILLYOH In association with



#### PROPRIETARY AND CONFIDENTIALITY

All the information contained within this document including all technical data, dimensions, shape/form and branding (inc. Trademarks, logos, etc.) Is the sole property of Kybotech Limited. The reproduction and/or disclosure to any third party of any information contained within this document is strictly prohibited. Breaches of the copyright will be dealt with on the highest level of severity with immediate legal proceedings.

© November 2015 - BillyOh.com - V1.0 - 191115

## **70mm Winchester Log Cabin Front** elevation: width 5.0m

#### BILLYOH Sizes available available in ultimate 28/44/70mm cladding types






Winchester Log Cabin W5.0m x D5.0m (Including Overhang)




Winchester Log Cabin W5.0m x D4.0m (Including Overhang)

## 70mm W5.0m x D5.0m / W16'5" x D16'5" Winchester: Side elevation




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

# 70mm W5.0m x D4.0m / W16'5" x D13'1"Winchester:Side elevation



## **Base Size** and **Bearers Layout** (Pressure Treated)



70mm = 0.275m/0' 11"

Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.