

BILLYOH

Creating a garden lifestyle...

Windsor Log Cabin Range[®]

Technical Details



Alternate Gable Arrangement



Alternate Gable Arrangement



For Queries and Help
please access our Support Centre:
www.gardenbuildingsdirect.co.uk/help

BILLYOH

In association with

gardenbuildingsdirect.co.uk

PROPRIETARY AND CONFIDENTIALITY

All the information contained within this document including all technical data, dimensions, shape/form and branding (inc. Trademarks, logos, etc.) is the sole property of Kybotech Limited. The reproduction and/or disclosure to any third party of any information contained within this document is strictly prohibited. Breaches of the copyright will be dealt with on the highest level of severity with immediate legal proceedings.

© July 2014 - BillyOh.com - v1.1 160714




BILLYOH

Windsor Log Cabin[®]

Technical Details

Side elevation: depth 4.0m

Overall Building Depth: all thicknesses = 4.152m/13'7"



Sizes available

available in premium 35mm and ultimate 44mm cladding types




Windsor 4.0m x 4.0m
Offset Door




Windsor 4.0m x 4.0m
Central Door

W4.0m x D4.0m / W13'1" x D13'1"

Windsor Central Door: Front elevation



Base Size and Bearers Layout (Pressure Treated)




Front of Building


Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

W4.0m x D4.0m / W13'1" x D13'1"

Windsor Offset Door: Front elevation



Base Size and Bearers Layout (Pressure Treated)



Front of Building

Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.